



see what Delta can do™

**MULTI-FAMILY
SOLUTIONS**
2019|2020



We make the difference for multi-family professionals.

We offer our innovations in a breadth of styles and finishes that can realize the vision of your design, construction or facility team and fit the look of any multi-family housing. Our sales team makes your job easier by providing support before, during and after construction. We lead our industry in identifying and meeting consumer needs—creating new styles and finishes for faucets and accessories, and inventing innovative technologies that capture clients' imaginations.



10-year limited warranty.

Choosing Delta® brand products for your properties also brings peace of mind. With confidence in our workmanship, we offer a 10-year limited warranty for all apartments and condominiums.*

In the end, your tenants will receive a distinctive experience that enhances their interactions with water, transforms their daily lives—and helps your housing stand apart.



*All parts (other than electronic parts and batteries) and finishes of the Delta® faucet are warranted to the original consumer purchaser to be free from defects in material and workmanship for as long as the original consumer purchaser owns the home in which the faucet was first installed. For commercial purchasers, (a) the warranty period is ten (10) years for multi-family applications and (b) five (5) years for all other commercial applications, in each case from the date of purchase. For purposes of this warranty, the term "multi-family application" refers to the purchase of the faucet by a purchaser who owns but does not live in the residential dwelling in which the faucet is initially installed, such as in a rented or leased single unit or multi-unit detached home (duplex or townhome), or a condominium, apartment building or community living center. The following installations are not considered multi-family applications, are excluded from the 10-year warranty and are subject to the five-year warranty: industrial, institutional or other business premises, such as dormitory, hospitality premises (hotel, motel or extended stay location), airport, educational facility, long- or short-term healthcare facility (hospital, rehabilitation center, nursing, assisted or staged-care living unit), public space or common area.



Raising tenants' expectations while lowering water use.

As industry leaders in sustainability, we're constantly exploring new ways to minimize water usage—without diminishing the rejuvenating experience our products provide.














WaterSense® award winner.

Delta Faucet Company is proud to be one of the EPA's 2011, 2013 and 2014 WaterSense® Partners of the Year and a Sustained Excellence Award Winner for 2015, 2016, 2017 and 2018. This notably consistent recognition demonstrates our ongoing commitment to developing designs and technologies which pair convenient water efficiency with maximum performance.












Since 2012, 100% of all new Delta® bathroom faucet designs have been built to meet or exceed WaterSense standards set by the EPA. Today, more than 80% of Delta bath suites feature shower heads, hand showers and faucets that meet WaterSense requirements.



Watch for these icons:

-  = DIAMOND Seal® Technology
-  = DIAMOND™ Valve
-  = InnoFlex® PEX Waterways
-  = EZ Anchor® Mounting
-  = MagnaTite® Docking
-  = H2Optics® Sensing Technology
-  = Water-Efficient Product— Kitchen Faucets: flow rate of 1.5 gpm or 1.8 gpm versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.2 gpm. Lavatory Faucets: flow rate of 1.2 gpm versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.2 gpm. Shower Heads and Handshowers: flow rate of 1.5 or 2.0 gpm versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.5 gpm.
-  = Proximity® Sensing Technology
-  = WaterSense® Labeled Product
-  = ADA-Compliant Product
-  = Compliant with all federal and state drinking water legislation.

Spray Patterns:

-  = Full Body Spray
-  = Fast Massage
-  = Full Spray with Massage
-  = High-Efficiency Spray
-  = H2Okinetic® Spray
-  = H2Okinetic Spray with Massage
-  = Massage Spray
-  = Pause
-  = Soft Drench Spray
-  = Soft Drench with Massage
-  = Shampoo Rinsing Spray

You can keep on researching our products any time, from anywhere. All you need is our electronic catalog.

And you can get it right now by downloading the free Delta Catalog app for iOS and Android®. You can also access the mobile version of our website by visiting deltafaucet.com on your smartphone or tablet.



Android® and related logo are registered trademarks of Google, Inc. Apple® and the Apple logo are registered trademarks of Apple, Inc.

INNOVATIVE SOLUTIONS 6

KITCHEN FAUCETS 12

LAVATORY FAUCETS 14

BATH COLLECTIONS

Ara® Bath Collection	16
Ashlyn® Bath Collection	18
Compel® Bath Collection	20
Dorval™ Bath Collection	22
Pivotal® Bath Collection	24
Stryke™ Bath Collection	26
Trinsic® Bath Collection	28
Woodhurst® Bath Collection	30
Haywood™ Bath Collection	31
Modern Series Collection	32

SHOWER HEADS 34

ACCESSORIES, DÉCOR ASSIST™ & BATH SAFETY 36

PUBLIC SPACES 38

HAND SHOWERS 40

DIVERTERS & COLUMNS 42

BACK-OF-HOUSE 43

Innovations that make tenants' experiences more memorable.

Our ideas for enhancing products are inspired by peoples' wants, needs and daily use of bath and kitchen spaces. Here are a handful of innovations that will earn appreciation from the people inhabiting your spaces.


Touch2O® and Touch2O.xt® Technologies.

They'll feel like amenities, but they're really about daily convenience for tenants. Touch2O Technology starts water flowing with a simple tap anywhere on the spout or handle. Touch2O.xt Technology starts the water when hands get within four inches of the product, and stops the water when hands are removed. Better still, they're both ADA-compliant.



Temp2O® Technology.

Delta® Temp2O Technology features an LED display which provides a digital readout of the water temperature accompanied by a blue, magenta or red background. It helps users avoid hot or cold surprises, so they know when it's right for them and safe for their family.



SpotShield® Technology.

Protect the beauty of your investment, while helping your tenants spend less time on cleaning chores. Delta® faucets and shower heads with our SpotShield finishes stay looking good consistently by resisting water spots and fingerprints. Some even offer antimicrobial protection to prevent stains and odor-causing growth.



ShieldSpray® Technology.

This thoughtful technology cleans with laser-like precision while containing mess and splatter. A concentrated jet within a protective sphere of water powers away stubborn messes with an average of 90% less splatter than a standard spray.



MagnaTite® Docking.

The droopy look doesn't work for anyone. Avoid it with Delta® MagnaTite Docking that snaps spray wands into position for smooth docking every time. The firm hold of the powerful magnet prevents sagging for a lasting, picture-perfect appearance. And, what's easier on the eyes is easier on upkeep. No more broken clips from tenants forcing wands into place.



Proximity® Sensing Technology.

Here's a solution that integrates sleeker aesthetics for your public spaces, along with responsive, hygienic hands-free operation. Delta® electronic faucets with this technology turn the entire faucet body into a sensor that activates water flow when users approach and stops once hands are removed. And the lack of an exposed sensor reduces the risk of sensor damage from vandalism or cleaning products.



H₂OKINETIC[®] TECHNOLOGY.


The feeling of more water
without using more water.

You're looking for water efficiency. Tenants would love an amazing shower. Our showers with H₂Okinetic Technology sculpt water into a unique wave pattern that delivers more warmth, coverage and intensity—all while saving water. It's a drenching, spa-like experience that will delight.



Controlling the way water moves.

H₂Okinetic showers look different because they are different. The result of extensive research and development in the science of fluidics, H₂Okinetic Technology harnesses the natural energy of water unlike any shower has before.



DIAMOND SEAL[®] TECHNOLOGY.

This story starts with easier installation up front. But it continues with long-term durability. Delta[®] faucets with DIAMOND Seal Technology last twice as long as the industry standard.* Based on a patented design that reduces leak points, they'll perform like new for life.

*Industry standard is based on ASME A112.18.1 of 500,000 cycles.

Longer Lasting.

A patented diamond-coated disc creates less friction to ensure a lifetime of like-new performance.

Leak-Free.

Exclusive one-piece supply lines help eliminate leaks.

Less Hassle.

Integrated InnoFlex[®] supply lines and mounting systems enable quick installation.



THE DELTA® MULTICHOICE® UNIVERSAL VALVE

Flexibility that saves time and money.

Installing the MultiChoice Universal Valve first makes it easier to change style, finish and functionality later, without changing the plumbing behind the wall. A high-flow rough for shower only configurations adds even more flexibility, while a defined temperature limit stop allows more precise settings for greater tenant comfort.

It's also great to know the valve cartridges ship with trim kits, which means no lost cartridges at installation. And the valves themselves have the flexibility to work across all Delta Faucet Company brands.



One rough. Unlimited possibilities.

Mounting Bracket

Provides a sturdy method to secure the valve to a stringer and prevents rocking.

R10000-UNWS MultiChoice Universal Valve Body

WS—with stops recommended for Commercial applications.

Three Connection Types

Provides universal connection options for every type of piping—IPS, PEX and UNIVERSAL.

Square Plasterguard

The size of a standard tile allows for simple 90° cuts. Snaps into place with no tools required to remove.

Cartridge Flexibility

Uses single-function pressure-balanced, dual-function pressure-balanced or dual-function thermostatic valve cartridges.

Heat-Resistant Pressure Test Cap

Allows for air or water testing up to 300 psi, before the valve cartridge is installed. Easy access for flushing out the system.



The Delta® brand offers trim choices in traditional, transitional and contemporary styles—making it easy to find a look that realizes the vision of any design, construction or facility team.



Single-Function Pressure-Balanced Valve Cartridge: Monitor® 14 Series

Functions with a single control for temperature only.



Dual-Function Pressure-Balanced Valve Cartridge: Monitor 17 Series

Offers independent control of temperature and volume by balancing the pressure of hot and cold water.



Dual-Function Thermostatic Valve Cartridge: TempAssure® 17T Series

Keeps water temperature consistent by actually measuring and monitoring the temperature of the water and automatically adjusting the water mix to maintain a more precise water temperature.



KITCHEN FAUCETS



9159-KS-DST
Shown in Black Stainless



Cassidy™ Single Handle Pull-Down with Touch2O® Technology 9197T-DST

- 1 or 3-hole installation
- Order RP71545 for optional escutcheon
- Finishes: Chrome, AR, CZ, PN, RB



Linden™ Single Handle Pull-Out 4153-DST

- 1 or 3-hole installation
- Optional escutcheon included
- Finishes: Chrome, AR, RB



Pivotal® Single Handle Exposed Hose Pull-Down 9693-DST

- 1 or 3-hole installation
- Order RP92233 for optional escutcheon
- Finishes: Chrome, AR, KS, PN



Essa® Single Handle Pull-Down 9113-DST

- 1 or 3-hole installation
- Optional escutcheon included
- Finishes: Chrome, AR, BL, RB



Trinsic® Pro Single Handle Pull-Down 9659-DST

- 1 or 3-hole installation
- Order RP64070 for optional escutcheon
- Finishes: Chrome, AR, KS



Trinsic Single Handle Pull-Down 9159-DST

- 1 or 3-hole installation
- Order RP64070 for optional escutcheon
- Finishes: Chrome, AR, BL, CZ, KS



Trinsic Single Handle Pull-Out 4159-DST

- 1 or 3-hole installation
- Order RP64070 for optional escutcheon
- Finishes: Chrome, AR, BL, KS



Mateo® Single Handle Pull-Down 9183-DST

- 1 or 3-hole installation
- Order RP81914 for optional escutcheon
- Finishes: Chrome, AR, KS, RB



Esque™ Single Handle Pull-Down 9181-DST

- 1 or 3-hole installation
- Order RP70714 for optional escutcheon
- Finishes: Chrome, AR, BL, RB



Collins™ Single Handle Pull-Out 4140-DST

- 1 or 3-hole installation
- Optional escutcheon included
- Finishes: Chrome, AR



Classic Single Handle with Sprayer 400-DST

- 4-hole installation
- Finishes: Chrome, SS



Foundations® Single Handle Pull-Out B4310-LF

- 1 or 3-hole installation
- Optional escutcheon included
- Finishes: Chrome, SS



Chrome
Arctic® Stainless-AR
Matte Black-BL
Champagne Bronze-CZ
Black Stainless-KS
Polished Nickel-PN
Venetian Bronze-RB
Brilliance® Stainless-SS

LAVATORY FAUCETS



576-MPU-LHP-DST, H551
Shown in Chrome



Zura® Single Handle
574-MPU-DST

- 1 or 3-hole installation
- Optional escutcheon included
- Finishes: Chrome, BL, CS, CZ, PN, SS



Dryden™ 8" Widespread
3551LF

- 3-hole installation
- Finishes: Chrome, CZ, PN, RB, SP, SS



Vero® Single Handle
553LF

- 1 or 3-hole installation
- Optional escutcheon included
- Finishes: Chrome, CZ, RB, SS



Modern Single-Hole
534LF-MPU-PP

- 1 or 3-hole installation
- Order RP47973 for optional escutcheon
- Finish: Chrome



Modern Single-Hole
559LF-MPU-PP

- 1 or 3-hole installation
- Order RP78359 for optional escutcheon
- Finishes: Chrome, BL, SS



Modern Single-Hole
567LF-MPU-PP

- 1 or 3-hole installation
- Order RP78358 for optional escutcheon
- Finishes: Chrome, BL, SS



Classic 4" Centerset
520-DST

- 3-hole installation
- Finishes: Chrome, SS



Foundations® 4" Centerset
B2510LF

- 3-hole installation
- Finishes: Chrome, SS



Classic 4" Centerset
2523LF-MPU

- 3-hole installation
- Finishes: Chrome, SS



Lahara® 4" Centerset
2538-MPU-DST

- 3-hole installation
- Finishes: Chrome, CZ, RB, SS



Ashlyn® 4" Centerset
2564-MPU-PPU

- 3-hole installation
- Finishes: Chrome, RB, SS



Woodhurst® 8" Widespread
3532LF-MPU

- 3-hole installation
- Finishes: Chrome, RB, SS



Chrome
Matte Black-BL
Matte Chrome-CS
Champagne Bronze-CZ
Polished Nickel-PN
Venetian Bronze-RB
SpotShield® Stainless-SP
Brilliance® Stainless-SS

ARA® BATH COLLECTION



567LF-MPU
Shown in Chrome



Single-Hole
567LF-MPU

- 1 or 3-hole installation
- Optional escutcheon included



Single-Hole Vessel
767LF

- 1-hole installation



8" Widespread
3567-MPU-DST

- 3-hole installation



Two Handle Wall-Mount
Bathroom Faucet
T3567LF-WL
R3500-WL (not shown)

- 3-hole installation



Monitor® 14 Series Shower
with H2Ok kinetic® Raincan
Shower Head
T14267
R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- WaterSense® labeled shower head



Monitor 14 Series
Tub & Shower with H2Ok kinetic
Raincan Shower Head
T14467
R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- WaterSense labeled shower head



Monitor 17 Series
Tub & Shower with H2Ok kinetic
Raincan Shower Head
T17467
R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- WaterSense labeled shower head



H2Ok kinetic Wall-Mount
Hand Shower
55140

- 4 Setting
- 1.75 gpm @ 80 psi
- WaterSense labeled hand shower



- 77518 18" Towel Bar (not shown)
- 77524 24" Towel Bar
- 41918 18" Decorative ADA Grab Bar (not shown)
- 41924 24" Decorative ADA Grab Bar
- 77525 24" Double Towel Bar (not shown)
- 77535 Single Robe Hook
- 77546 Towel Ring
- 77550 Tissue Holder

Additional products and
flow rates are available.
Visit deltafaucet.com/ara

The products on this page
are shown in Chrome.

Chrome

Matte
Black-BL

Brilliance®
Stainless-SS

ASHLYN® BATH COLLECTION



2564-MPU-DST
Shown in Chrome



Single-Hole
564-MPU-DST

- 1 or 3-hole installation
- Optional escutcheon included



4" Centerset
2564-MPU-DST

- 3-hole installation



8" Widespread
3564-MPU-DST

- 3-hole installation



Monitor® 14 Series
Shower with Raincan
Shower Head
T14264
R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- WaterSense® labeled shower head



Monitor 14 Series
Tub & Shower with
Raincan Shower Head
T14464
R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- WaterSense labeled shower head



Monitor 17 Series
Tub & Shower with
Raincan Shower Head
T17464
R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- WaterSense labeled shower head



H2Okinetic® Hand Shower
with Slide Bar
51552

- 4 Setting
- 1.75 gpm @ 80 psi
- WaterSense labeled hand shower
- Finishes: Chrome, SS



- 76418 18" Towel Bar
- 76424 24" Towel Bar (not shown)
- 41718 18" Decorative ADA Grab Bar
- 41724 24" Decorative ADA Grab Bar (not shown)
- 76435 Double Robe Hook
- 76446 Towel Ring
- 76450 Pivoting Tissue Holder

Additional products and flow rates are available.
Visit deltafaucet.com/ashlyn

The products on this page are shown in Chrome.

Chrome
Venetian
Bronze® RB
Brilliance®
Stainless-SS

COMPEL® BATH COLLECTION



3561-SSMPU-DST
Shown in Brilliance® Stainless



Single-Hole
561-MPU-DST

- 1 or 3-hole installation
- Optional escutcheon included



Single-Hole Vessel
761-DST

- 1-hole installation



8" Widespread
3561-MPU-DST

- 3-hole installation



Two Handle Wall-Mount
Bathroom Faucet
T3561LF-WL
R3500-WL (not shown)

- 3-hole installation



Monitor® 14 Series
Tub & Shower with H₂Okinetic®
Raincan Shower Head
T14461
R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- WaterSense® labeled shower head



Monitor® 17 Series
Tub & Shower with H₂Okinetic®
Raincan Shower Head
T17461
R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- WaterSense labeled shower head



TempAssure® 17T Series
Shower with H₂Okinetic Raincan
3-Setting Shower Head
T17T261-H2O
R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- WaterSense labeled shower head



Premium Wall-Mount
Hand Shower
55085

- Single Setting
- 1.75 gpm @ 80 psi
- 50560 wall elbow sold separately
- WaterSense labeled hand shower



- 77118 18" Towel Bar (not shown)
- 77124 24" Towel Bar
- 41818 18" Decorative ADA Grab Bar (not shown)
- 41824 24" Decorative ADA Grab Bar
- 77125 24" Double Towel Bar
- 77135 Single Robe Hook
- 77146 Towel Ring
- 77150 Pivoting Tissue Holder
- 77250 Spring-Loaded Tissue Holder

Additional products and
flow rates are available.
Visit deltafaucet.com/compel

The products on this page
are shown in Chrome.

Chrome
Brilliance®
Stainless-SS

DORVAL™ BATH COLLECTION



3557-GSMPU-DST
Shown in Champagne Bronze™ and Porcelain



Single Handle with Lever Handle
556-MPU-LHP-DST H561

- 1 or 3-hole installation
- Optional escutcheon included



Single Handle with Cross Handle
556-MPU-LHP-DST H562

- 1 or 3-hole installation
- Optional escutcheon included



Two Handle Monoblock
with Lever Handles
856-DST

- 1-hole installation
- Available with Cross Handles: 857-DST





8" Widespread with
Cross Handles
3557-MPU-DST

- 3-hole installation
- Available with Lever Handles:
3556-MPU-DST



Two Handle Wall-Mount Bathroom
Faucet with Lever Handles
T3556LF-WL
R3500-WL (not shown)

- 3-hole installation
- Available with Cross
Handles: T3557LF-WL



Monitor® 14 Series Tub &
Shower with Cross Handle and
H2Okinetic® Raincan 5-Setting
Shower Head
T14456-LHP H567
R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- WaterSense® labeled shower head



Monitor 17 Series
Tub & Shower with Lever
Handle and H2Okinetic Raincan
5-Setting Shower Head
T17456
R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- WaterSense labeled shower head



TempAssure® 17T Series
Shower with H2Okinetic Raincan
5-Setting Shower Head
T17T256
R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- WaterSense labeled shower head



H2Okinetic Hand Shower
with Slide Bar
51799

- 3 Setting
- 1.75 gpm @ 80 psi
- WaterSense labeled
hand shower
- Finishes: Chrome, BL, SS



75618 18" Towel Bar
75624 24" Towel Bar
75630 30" Towel Bar
75635 Double Robe Hook
756505 Vertical Tissue Holder

Additional products and
flow rates are available.
Visit deltafaucet.com/dorval

The products on these pages
are shown in Chrome.

Chrome

Matte Black-BL

Champagne
Bronze-CZ

Champagne
Bronze-7/
Porcelain-GS

Brilliance®
Stainless-SS

PIVOTAL® BATH COLLECTION



799-DST
Shown in Chrome



Single Handle
599-MPU-DST

- 1 or 3-hole installation
- Optional escutcheon included



Single Handle Mid-Rise
699-DST

- 1-hole installation



8" Widespread
3599LF-MPU

- 3-hole installation



Two Handle Wall-Mount
Bathroom Faucet
T3599LF-WL
R3500-WL (not shown)

- 3-hole installation



Monitor® 14 Series
Shower with H2Okinetic®
Raincan 5-Setting Shower Head
T14299
R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- Self-cleaning Touch-Clean® spray holes
- WaterSense® labeled shower head



Monitor 14 Series Tub &
Shower with H2Okinetic
Raincan 5-Setting Shower Head
T14499
R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- Self-cleaning Touch-Clean® spray holes
- WaterSense labeled shower head



Monitor 17 Series Tub & Shower
with H2Okinetic Raincan
5-Setting Shower Head
T17499
R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- Self-cleaning Touch-Clean® spray holes
- WaterSense labeled shower head



H2Okinetic Hand Shower
with Slide Bar
51799

- 3 Setting
- 1.75 gpm @ 80 psi
- WaterSense labeled hand shower



79918 18" Towel Bar
79924 24" Towel Bar
79930 30" Towel Bar
79936 Double Robe Hook
79956 Tissue Holder with Shelf

Additional products and
flow rates are available.
Visit deltafaucet.com/pivotal

The products on this page
are shown in Chrome.

Chrome

Matte Black-BL

Polished
Nickel-PN

Brilliance®
Stainless-SS

STRYKE™ BATH COLLECTION



357766-MPU-DST
Shown in Chrome



Single Handle with Lever Handle
576-MPU-LHP-DST H550

- 1 or 3-hole installation
- Optional escutcheon included



Single Handle with
Helo Spoke Handle
576-MPU-LHP-DST H551

- 1 or 3-hole installation
- Optional escutcheon included



4" Centerset with Lever Handles
257766-MPU-DST

- 3-hole installation
- Available with Helo Spoke Handles: 257766-MPU-DST





8" Widespread with
Helo Spoke Handles
357766-MPU-DST

- 3-hole installation
- Available with Lever Handles:
35776-MPU-DST



Two Handle Wall-Mount
Bathroom Faucet
with Lever Handles
T3576-WL
R3500-WL (not shown)

- 3-hole installation
- Available with Helo Spoke
Handles: T35766LF-WL



Monitor® 14 Series Shower
with Helo Spoke Handle and
H₂Okinetic® Raincan 5-Setting
Shower Head
T142766
R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- WaterSense® labeled shower head



Monitor 14 Series Tub & Shower
with Helo Spoke Handle and
H₂Okinetic Raincan 5-Setting
Shower Head
T144766
R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- WaterSense labeled shower head



Monitor 17 Series Tub &
Shower with Lever Handle and
H₂Okinetic Raincan 5-Setting
Shower Head
T17476
R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- WaterSense labeled shower head



H₂Okinetic Wall-Mount
Hand Shower
55421

- Single Setting
- 1.75 gpm @ 80 psi
- WaterSense labeled hand shower



77618 18" Towel Bar
77624 24" Towel Bar
77630 30" Towel Bar
77638 Robe Hook
77655 Tissue Holder

Additional products and
flow rates are available.
Visit deltafaucet.com/stryke

The products on these pages
are shown in Chrome.

Chrome

Matte Black-BL

Champagne
Bronze-CZ

Brilliance®
Stainless-SS

TRINSIC® BATH COLLECTION



559LF-MPU, 759460, 75950, 75918
Shown in Chrome



Single-Hole
559LF-MPU

- 1 or 3-hole installation
- Optional escutcheon included



Single-Hole Vessel
759-DST

- 1-hole installation



Single Handle High-Arc
559HA-DST

- 1-hole installation





8" Widespread
3559-MPU-DST
■ 3-hole installation



Single Handle Wall-Mount
Bathroom Faucet
T3559LF-WL
R3510-WL (not shown)
■ 2-hole installation



Monitor® 14 Series Shower
with H₂Okinetic® Raincan
Shower Head
T14259
R10000-UNWS (not shown)
■ 1.75 gpm shower head @ 80 psi
■ WaterSense® labeled shower head



Monitor 14 Series
Tub & Shower with H₂Okinetic
Raincan Shower Head
T14459
R10000-UNWS (not shown)
■ 1.75 gpm shower head @ 80 psi
■ WaterSense labeled shower head



Monitor 17 Series
Tub & Shower with H₂Okinetic
Raincan Shower Head
T17459
R10000-UNWS (not shown)
■ 1.75 gpm shower head @ 80 psi
■ WaterSense labeled shower head



Wall-Mount Hand Shower
55085
■ Single Setting
■ 1.75 gpm @ 80 psi
■ WaterSense labeled hand shower



75918 18" Towel Bar
759240 24" Towel Bar
(not shown)
41818 18" Decorative ADA
Grab Bar
41824 24" Decorative ADA
Grab Bar (not shown)
75925 24" Double Towel Bar
75935 Single Robe Hook
759460 Towel Ring
75950 Tissue Holder

Additional products and
flow rates are available.
Visit deltafaucet.com/trinsic

The products on these pages
are shown in Chrome.

Chrome
Matte
Black-BL
Champagne
Bronze-CZ
Venetian
Bronze-RB
Brilliance®
Stainless-SS

WOODHURST® BATH COLLECTION

WOODHURST BATH COLLECTION



3532LF-MPU
Shown in Chrome

Chrome

Venetian
Bronze® RB

Brilliance®
Stainless-SS



4" Centerset
2532LF-MPU

- 3-hole installation



8" Widespread
3532LF-MPU

- 3-hole installation



Monitor® 14 Series Tub & Shower
with Raincan Shower Head
T14432
R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- WaterSense® labeled shower head
- Shower only configuration: T14232



73218 18" Towel Bar
73224 24" Towel Bar
73235 Single Robe Hook
73246 Towel Ring
73250 Pivoting Tissue Holder

Additional products and
flow rates are available.
Visit deltafaucet.com/woodhurst

The products on this page
are shown in Chrome.

HAYWOOD™ BATH COLLECTION

HAYWOOD BATH COLLECTION



35999LF
Shown in Chrome



Single Hole
15999-DST

- 1 or 3-hole installation
- Optional escutcheon included



4" Centerset
25999LF

- 3-hole installation



8" Widespread
35999LF

- 3-hole installation



Chrome

Venetian
Bronze®-RB

Brilliance®
Stainless-SS

Additional products and
flow rates are available.
Visit deltafaucet.com/haywood

The products on this page
are shown in Chrome.

MODERN SERIES COLLECTION



567LF-MPU-PP
Shown in Chrome



Single Handle
534LF-MPU-PP

- 1 or 3-hole installation
- Order RP47973 for optional escutcheon
- Finish: Chrome



Single Handle
559LF-MPU-PP

- 1 or 3-hole installation
- Order RP78359 for optional escutcheon
- Finishes: Chrome, BL, SS



Single Handle
567LF-MPU-PP

- 1 or 3-hole installation
- Order RP78358 for optional escutcheon
- Finishes: Chrome, BL, SS



Single Handle
581LF-MPU-PP

- 1 or 3-hole installation
- Order RP76702 for optional escutcheon
- Finishes: Chrome, SS



Monitor® 14 Series Valve Only
T140335
R10000-UNWS (not shown)

- Finish: Chrome



Monitor 14 Series Valve Only
T140339
R10000-UNWS (not shown)

- Finish: Chrome



Monitor 14 Series Valve Only
T140440T
R10000-UNWS (not shown)

- Finish: Chrome



Round Bath Accessories

- IAO20130 24" Double Towel Shelf
- IAO20118 18" Towel Bar
- IAO20126 18" Double Towel Bar
- IAO20124 24" Towel Bar
- IAO20128 24" Double Towel Bar
- IAO20136 Double Robe Hook

- Finish: Chrome

- IAO20146 Towel Ring
- IAO20150 Tissue Holder with Cover
- IAO20140 Glass Shelf
- IAO20175 Double-Face Mirror
- IAO20160 Toilet Brush Holder
- IAOSD001 Soap Dish—Round
- IAOTB001 Tumbler Holder—Round



Square Bath Accessories

- IAO20830 24" Double Towel Shelf
- IAO20818 18" Towel Bar
- IAO20826 18" Double Towel Bar
- IAO20824 24" Towel Bar
- IAO20828 24" Double Towel Bar
- IAO20836 Robe Hook

- Finish: Chrome

- IAO20846 Towel Ring
- IAO20850 Tissue Holder with Cover
- IAO20851 Tissue Holder
- IAO20840 Glass Shelf
- IAO20860 Toilet Brush Holder
- IAOSD002 Soap Dish—Square
- IAOTB002 Tumbler Holder—Square

Chrome

Matte Black-BL

Brilliance®
Stainless-SS

SHOWER HEADS



58471-PK
Shown in Brilliance® Stainless



H2Okinetic® 6" Raincan Shower Head RP70171-15

- Single Setting
- 1.5 gpm @ 80 psi
- Finishes: Chrome, BL, RB, SS



H2Okinetic Shower Head 52658-PK

- Single Setting
- 1.5 gpm @ 80 psi
- Finishes: Chrome, SS



H2Okinetic Shower Head 52637-15-PK

- 5 Setting
- 1.5 gpm @ 80 psi
- Finishes: Chrome, CZ, PN, RB, SS



H2Okinetic Shower Head 52638-20-PK

- 5 Setting
- 2.0 gpm @ 80 psi; 1.5 gpm also available
- Finishes: Chrome, BL, CZ, PN, RB, SS



Fundamentals™ Shower Head 52653-PK

- Single Setting
- 1.5 gpm @ 80 psi
- Finishes: Chrome, SS



Fundamentals Shower Head 52672-15-BG

- Single Setting
- 1.5 gpm @ 80 psi
- Finishes: Chrome, WH



Premium Shower Head 52634-15-BG

- 5 Setting
- 1.5 gpm @ 80 psi
- Finish: Chrome



6" Raincan Shower Head RP61181

- Single Setting
- 1.75 gpm @ 80 psi
- Finishes: Chrome, BN, OB



In2ition® H2Okinetic Shower 58473

- 4 Setting
- 1.75 gpm @ 80 psi
- Finishes: Chrome, BL, CZ, PN, RB, SS



In2ition H2Okinetic Shower 58471-PK

- 4 Setting
- 2.5 gpm @ 80 psi
- Finishes: Chrome, BL, CZ, RB, SS



In2ition H2Okinetic Shower 58472

- 4 Setting
- 2.5 gpm @ 80 psi
- Finishes: Chrome, BL, CZ, RB, SS



Additional styles and flow rates are available.
Visit deltafaucet.com

All products on this page are shown in Chrome and come without shower arm and flange, unless otherwise noted.

Chrome
Brushed Nickel-BN
Matte Black-BL
Champagne Bronze-CZ
Oil-Rubbed Bronze-OB
Polished Nickel-PN
Venetian Bronze-RB
Brilliance® Stainless-SS
White-WH

ACCESSORIES, DÉCOR ASSIST™ & BATH SAFETY



3559-MPU-DST, 77135, 77146,
41824, 41516, T17259
Shown in Chrome



Classic 18" Towel Bar
70018

- Extends 3-1/2" from wall
- Mounting hardware included
- Finishes: Chrome, OB, SS



24" Decorative Towel Shelf
43024

- Mounting hardware included
- Also available in 18" length
- Finish: Chrome



5' Adjustable Curved Shower Rod
42205

- 1" diameter
- Also available in 6' length
- Concealed mounting
- Finishes: Chrome, SS



Spring-Loaded Tissue Holder
77250

- Extends 3-3/4" from wall
- Mounting hardware included
- Finishes: Chrome, SS



Traditional Décor Assist
Tissue Holder/Assist Bar
41350

- 6" long
- Supports loads exceeding 250 lbs. when properly installed
- Finishes: Chrome, BL, CZ, PN, RB, SS



Transitional Décor Assist
Tissue Holder/Assist Bar
41450

- 6" long
- Supports loads exceeding 250 lbs. when properly installed
- Finishes: Chrome, BL, CZ, RB, SS



Contemporary Décor Assist
Tissue Holder/Assist Bar
41550

- 6" long
- Supports loads exceeding 250 lbs. when properly installed
- Finishes: Chrome, BL, CZ, RB, SS



Traditional Décor Assist
Corner Shelf/Assist Bar
41316

- Supports loads exceeding 250 lbs. when properly installed
- Finishes: Chrome, BL, CZ, PN, RB, SS



Transitional Décor Assist
Corner Shelf/Assist Bar
41416

- Supports loads exceeding 250 lbs. when properly installed
- Finishes: Chrome, BL, CZ, RB, SS



Contemporary Décor Assist
Corner Shelf/Assist Bar
41516

- Supports loads exceeding 250 lbs. when properly installed
- Finishes: Chrome, BL, CZ, RB, SS



Traditional Décor Assist
Double Towel/Assist Bar
41319

- 24" length
- Supports loads exceeding 250 lbs. when properly installed
- Finishes: Chrome, BL, CZ, PN, RB, SS



Transitional Décor Assist
Double Towel/Assist Bar
41419

- Supports loads exceeding 250 lbs. when properly installed
- Finishes: Chrome, BL, CZ, RB, SS



Contemporary Décor Assist
Double Towel/Assist Bar
41519

- 24" length
- Supports loads exceeding 250 lbs. when properly installed
- Finishes: Chrome, BL, CZ, RB, SS



12" Traditional Decorative ADA Grab Bar
41612

- Supports up to 500 lbs. when properly installed
- Finishes: Chrome, BL, CZ, PN, RB, SS
- Also available in the following lengths:
41618 – 18" 41624 – 24"
41636 – 36" 41642 – 42"



18" Transitional Decorative ADA Grab Bar
41718

- Supports up to 500 lbs. when properly installed
- Finishes: Chrome, BL, CZ, RB, SS
- Also available in the following lengths:
41712 – 12" 41724 – 24"
41736 – 36" 41742 – 42"



24" Contemporary Decorative
ADA Grab Bar
41824

- Supports up to 500 lbs. when properly installed
- Finishes: Chrome, BL, CZ, RB, SS
- Also available in the following lengths:
41812 – 12" 41818 – 18"
41836 – 36" 41842 – 42"



36" Angular Modern Decorative
ADA Grab Bar
41936

- Supports up to 500 lbs. when properly installed
- Finishes: Chrome, BL, CZ, PN, RB, SS
- Also available in the following lengths:
41912 – 12" 41918 – 18"
41924 – 24" 41942 – 42"



For additional product styles,
visit deltafaucet.com

All products on this page
are shown in Chrome.

Chrome

Matte Black-BL

Champagne
Bronze-CZ

Oil-Rubbed
Bronze-OB

Polished
Nickel-PN

Venetian
Bronze-RB

Brilliance®
Stainless-SS

PUBLIC SPACES



630TP390
Shown in Chrome



Single-Hole Gooseneck
with Proximity® Sensing Technology
620TP3320-BL

- 1.5 gpm vandal-resistant laminar outlet
- Finishes: Chrome, BL, SS



Single-Hole Single-Inlet Faucet
with Proximity Sensing Technology
630TP320

- 1.5 gpm vandal-resistant laminar outlet
- Finishes: Chrome, SS



Single-Hole Single-Inlet Faucet
590LF-LGHGMHDF

- Featuring H2Optics® Sensing Technology
- Battery operation
- Metal construction
- 0.5 vandal-resistant laminar outlet
- Finish: Chrome



Single-Hole Faucet with ASSE 1070
Thermostatic Mixing Valve
DEMD-611LF

- Battery operation
- Above-deck solenoid and below-deck battery
- Standard infrared sensing
- Integrated above-deck thermostatic mixing valve
- Optional 4" coverplate
- Finish: Chrome



4" Centerset Faucet
583LF-WF

- 1 or 3-hole installation
- Optional escutcheon included
- Rigid spout with metal lever handle
- Finishes: Chrome, SS



Single-Hole Electronic Soap Dispenser
DESD-250

- Non-metal, low profile spout
- Standard 800 ml soap bottle
- Standard infrared sensing
- Fits on decks up to 2" thick
- LED indicators: Yellow = low battery; Red = low soap
- Battery operation
- Finish: Chrome



Single-Hole Electronic Soap Dispenser
DESD-750

- Standard 1000 ml soap bottle
- Standard infrared sensing
- Fits on decks up to 2" thick
- Blue LED indicator for low soap
- Finish: Chrome



Exposed Electronic Water Closet Flush Valve
81T201HWA

- Featuring H2Optics Sensing Technology
- Chloramine-resistant diaphragm
- Electronic override button
- Scratch-resistant replaceable lens window
- Finishes: Chrome, BL



Exposed Electronic Urinal Flush Valve
81T231BTA-BL-MMO

- Featuring H2Optics Sensing Technology
- Chloramine-resistant diaphragm
- Electronic override button
- Scratch-resistant replaceable lens window
- Finishes: Chrome, BL



Recessed Paper Holder
with Plastic Roller
45070

- Stainless steel paper holder
- Plastic spring-activated roller
- Twin side-by-side model available: 44970
- Finish: Chrome



1-1/2" x 24" Grab Bar
40124-SS

- Concealed mounting—hardware included
- For persons up to 500 lbs.
- Finishes: Chrome, PS, SS



For additional options,
visit specselect.com

Products on this page are
shown in Chrome, Matte Black
and Brilliance® Stainless.

Chrome

Matte
Black-BL

Peened
Stainless-PS

Brilliance®
Stainless-SS

HAND SHOWERS



51552-PN, 50570-PN
Shown in Polished Nickel




Hand Shower with Slide Bar and Wall Elbow 51361

- 4 Setting
- 1.75 gpm @ 80 psi
- Finishes: Chrome, SS



H2Okinetic® Hand Shower with Slide Bar 51559

- 5 Setting
- 1.75 gpm @ 80 psi
- Finishes: Chrome, CZ, RB, SS



H2Okinetic Hand Shower with Slide Bar 51552

- 4 Setting
- 1.75 gpm @ 80 psi
- Finishes: Chrome, PN, SS



H2Okinetic Wall-Mount Hand Shower 55567

- Single Setting
- 1.75 gpm @ 80 psi
- Finishes: Chrome, SS



Hand Shower with Slide Bar 51589

- 7 Setting
- 1.75 gpm @ 80 psi
- Finishes: Chrome, PB, RB, SS



Premium Hand Shower with Slide Bar 51599-DS

- 5 Setting
- 1.75 gpm @ 80 psi
- Finishes: Chrome, SS



Premium Shower-Mount Hand Shower 54434-18-PK

- 5 Setting
- 1.75 gpm @ 80 psi
- Finishes: Chrome, SS



Angular Modern Shower Kit Less Hand Shower 51500

- U6500 hand shower mount
- 24" angular modern grab bar, 1-1/4" diameter
- 60"-82" stretchable metal hose
- Square wall elbow included
- Finishes: Chrome, RB, SS



Round Contemporary Shower Kit Less Hand Shower 51600

- U6500 hand shower mount
- 24" round contemporary grab bar, 1-1/4" diameter
- 60"-82" stretchable metal hose
- Round wall elbow included
- Finishes: Chrome, RB, SS



Chrome

Champagne Bronze-CZ

Brilliance® Polished Brass-PB

Polished Nickel-PN

Venetian Bronze-RB

Brilliance® Stainless-SS

DIVERTERS & COLUMNS

DIVERTERS & COLUMNS



T27T897-RB, 51308-RB, 50560-RB
Shown in Venetian Bronze®



Contemporary 17T Series
MultiChoice® Integrated Diverter
T27T959
R22000 (not shown)

- 6 Setting
- Finishes: Chrome, BL, CZ, RB, SS



Angular Modern 17T Series
MultiChoice Integrated Diverter
T27T967
R22000 (not shown)

- 6 Setting
- Finishes: Chrome, BL, CZ, PN, RB, SS



Traditional 17T Series
MultiChoice Integrated Diverter
T27T897
R22000 (not shown)

- 3 Setting
- Finishes: Chrome, CZ, PN, RB, SS



Emerge™ 18" Angular Modern
Shower Column
58410

- Includes 60"-82" stretchable metal hose
- Finishes: Chrome, BL, CZ, PN, RB, SS
- Also available in 26" length for tub/shower application: 58420



Emerge 18" Round Contemporary
Shower Column
58810

- Includes 60"-82" stretchable metal hose
- Finishes: Chrome, BL, CZ, PN, RB, SS
- Also available in 26" length for tub/shower application: 58820

Chrome

Matte
Black-BL

Champagne
Bronze-CZ

Polished
Nickel-PN

Venetian
Bronze-RB

Brilliance®
Stainless-SS

Additional options and
flow rates are available.
Visit deltafaucet.com

BACK-OF-HOUSE



28T9
Shown in Rough Chrome

BACK-OF-HOUSE



Single-Lever Utility Faucet
710LF-HDF

- 2-hole installation
- Vandal-resistant elbow handle and 1.5 gpm outlet
- Finish: Chrome



8" Center Wall-Mount
Pre-Rinse Faucet
55C1513

- Vandal-resistant 3" hooded lever handles
- Supplied with standard 1.6 gpm spray outlet and water/energy-saving 1.2 gpm option
- Finish: Chrome



8" Center Wall-Mount
Service Sink Faucet
28C2383

- Cast brass body
- Adjustable top/bottom brace
- Body-mounted angle vacuum breaker with garden-hose end
- Vandal-resistant 3" hooded lever handles
- Finish: Chrome



8" Center Wall-Mount
Service Sink Faucet
28T9

- Cast brass body
- In-line vacuum breaker with garden-hose end
- Metal cross handles
- Finish: Rough Chrome




Single Handle Centerset
Bathroom Faucet
520LF-HDF

- 3-hole installation
- Solid brass fabricated body
- Vandal-resistant lever handle; aerator
- Finish: Chrome



Additional options and flow rates are available.
Visit deltafaucet.com or deltacommercialfaucets.com

Chrome/Rough
Chrome



Delta Faucet Company is committed to sustainability and providing smart water delivery solutions to maximize water savings without sacrificing comfort and convenience. Our commitment to sustainability extends to waste reduction and the preservation of natural resources and the environment. That's why we choose to print on Forest Stewardship Council® (FSC®) certified paper.

Forest Stewardship Council® and the FSC® are registered trademarks of Forest Stewardship Council, A.C.



A MASCO COMPANY

Delta Faucet Company
55 E. 111th St., P.O. Box 40980
Indianapolis, IN 46280

Masco Canada Limited
350 S. Edgeware Rd.
St. Thomas, Ontario N5P 4L1

deltafaucet.com
800.345.DELTA (3358)

©2019 Delta Faucet Company
DL-2046 06/19