

design

portfolio

P I E D R A
M Á R M O L
C E M E N T O
C O T T O
M A D E R A
T E X T I L



design

portfolio

P I E D R A
M Á R M O L
C E M E N T O
C O T T O
M A D E R A
T E X T I L



Diseño como un todo

Design as a whole

La pasión, la inspiración y, sobre todo, crear experiencias nos ha proyectado como una empresa diferenciadora capaz de cumplir con las expectativas de los proyectos más exigentes en el mercado, creando espacios únicos e innovadores, que se caracterizan por imitar elementos naturales como la piedra, mármol y madera logrando acabados de aspecto inigualable.

Passion, inspiration and, above all, creating experiences has projected us as a differentiating company able to meet the expectations of the most demanding projects in the market, creating unique and innovative spaces, characterized by look-like natural elements such as stone, marble and wood achieving finishes of unequalled appearance.

FORMATO / SIZE

60 X 120 CM

Botev	08
Atís	28
Bangladesh	12
Martel Gray	16
Murano	20
Helsinki	24

60 X 60 CM

San Miguel	40
------------	----

15 X 90 CM

Lubeck	32
Hubbert	36

28.3 X 7.2 CM

Edimburgo	42
-----------	----

31 X 29.5 CM

Arcosia	44
---------	----

ORDEN
ALFABÉTICO
ALPHABETICAL ORDER

A	Atís	28
	Arcosia	44
B	Bangladesh	12
	Botev	08
E	Edimburgo	42
H	Helsinki	24
	Hubbert	36
L	Lubeck	32
M	Martel Gray	16
	Murano	20
S	San Miguel	40
	Inf. Técnica	48



BOTEV

Piedra Mate / Matt Stone

60 X 120 CM 23,6" X 47,2"
Rectificado Rectified

Marfil / Ivory



Tabaco / Tobacco



Taupé / Taupe



Lienzo digital / Digital canvas



Información Técnica /
Technical Information



Información de Embalaje /
Bale Information

formato / size	pzs-caja / pcs-box	m²-caja / ft²-box	kg-caja / lbs -box
60 x 120 cm 23,6" x 47,2"	2	1,44 / 15,5	33,5 / 73,8



Piso: Botev Taupé 60x120cm Rectificado



BANGLADESH

Textil Mate / Matt Textile

60 X 120 CM 23,6" X 47,2"
Rectificado Rectified

Arena / Sand



Camel / Camel



Zoom



Información Técnica /
Technical Information



IV

PEI



TTM / B

INTERIORES

INTERIOR

BAÑOS

BATHROOM

COCINA

KITCHEN

EXTERIORES

EXTERIOR

Información de Embalaje /
Bale Information

formato / size	pzs-caja / pcs-box	m²-caja / ft²-box	kg-caja / lbs-box
60 x 120 cm 23.6" x 47.2"	2	1.44 / 15.5	33.5 / 73.8



Piso: Bangladesh Arena 60x120cm Rectificado






MARTEL GRAY

Piedra Mate / Matt Stone

60 X 120 CM 23,6" X 47,2"
Rectificado Rectified



Lienzo digital / Digital canvas



Información Técnica /
Technical Information



20 CARAS
20 FACES



INTERIORES
INTERIOR

BAÑOS
BATHROOM

COCINA
KITCHEN

EXTERIORES
EXTERIOR

Información de Embalaje /
Bale Information


formato / size	pcs-caja / pcs-box	m²-caja / ft²-box	kg-caja / lbs.-box
60 x 120 cm 23,6 x 47,2"	2	1,44 / 15,5	33,5 / 73,8



MURANO

Mármol Mate / Matt Marble

60 X 120 CM 23,6" X 47,2"
Rectificado Rectified



Lienzo digital / Digital canvas



Información Técnica /
Technical Information



Información de Embalaje /
Bale Information

formato / size	pzs-caja / pcs-box	m²-caja / ft²-box	kg-caja / lbs.-box
60 x 120 cm 23,6" x 47,2"	2	1,44 / 15,5	33,5 / 73,8



Piso: Murano 60x120cm Rectificado






HELSINKI

Piedra Mate / Matt Stone

60 X 120 CM 23,6" X 47,2"
Rectificado Rectified



Lienzo digital / Digital canvas



Información Técnica /
Technical Information



20 CARAS
20 FACES

IV
PEI


TTM / B

INTERIORES
INTERIOR

BAÑOS
BATHROOM

COCINA
KITCHEN

EXTERIORES
EXTERIOR

Información de Embalaje /
Bale Information

formato / size	pcs-caja / pcs-box	m²-caja / ft²-box	kg-caja / lbs -box
60 x 120 cm 23.6 x 47.2"	2	1.44 / 15.5	33.5 / 73.8





ATÍS

Piedra Mate / Matt Stone

60 X 120 CM 23,6" X 47,2"
Rectificado Rectified


Marfil / Ivory



Grigio / Gray



Lienzo digital / Digital canvas



Información Técnica / Technical Information



20 CARAS
20 FACES

IV
PEI

TTM / C

INTERIORES
INTERIOR

BAÑOS
BATHROOM

COCINA
KITCHEN

EXTERIORES
EXTERIOR

Información de Embalaje / Bale Information


formato / size	pcs-caja / pcs-box	m²-caja / ft²-box	kg-caja / lbs.-box
60 x 120 cm 23,6 x 47,2"	2	1,44 / 15,5	33,5 / 73,8



LUBECK

Madera Mate / Matt Wood
Estructurado / Structured

15 X 90 CM 5,9" X 35,4"



Lienzo digital / Digital canvas



Información Técnica /
Technical Information

PORCELÁNICO

P

PORCELAIN

Pasta Blanca

40 CARAS

40 FACES

IV

PEI

TTM / C

INTERIORES

INTERIOR

BAÑOS

BATHROOM

COCINA

KITCHEN

EXTERIORES

EXTERIOR

Información de Embalaje /
Bale Information

formato / size	pzs-caja / pcs-box	m²-caja / ft²-box	kg-caja / lbs-box
15 x 90 cm 5,9" x 35,4"	11	1,48 / 15,93	36,52 / 80,51



Piso: Lubeck Castaña 15x90cm



Remodelista
THE CODE BOOK



HUBBERT

Madera Mate / Matt Wood

15 X 90 CM 5,9" X 35,4"



Lienzo digital / Digital canvas



Información Técnica /
Technical Information

PORCELÁNICO
P
PORCELAIN

Pasta Blanca

24 CARAS
24 FACES

IV
PEI

TTM / D

INTERIORES
INTERIOR

BAÑOS
BATHROOM

COCINA
KITCHEN

EXTERIORES
EXTERIOR

Información de Embalaje /
Bale Information

formato / size	pcs-caja / pcs-box	m ² -caja / ft ² -box	kg-caja / lbs-box
15 x 90 cm 5,9" x 35,4"	11	1,48 / 15,93	36,52 / 80,51



SAN MIGUEL

Cotto Mate / Matt Cotto

60 X 60 CM 23,6" X 23,6"
Rectificado Rectified

Marfil / Ivory



Arena / Sand



Taupé / Taupe



Terracota / Terracotta



Lienzo digital / Digital canvas



Información Técnica /
Technical Information

PORCELÁNICO
P
PORCELAIN

Pasta Blanca

20 CARAS
20 FACES

IV
PEI

TTM / C

INTERIORES
INTERIOR

BAÑOS
BATHROOM

COCINA
KITCHEN

EXTERIORES
EXTERIOR

Información de Embalaje /
Bale Information

formato / size	pzs-caja / pcs-box	m²-caja / ft²-box	kg-caja / lbs-box
60 x 60 cm 23,6" x 23,6"	4	1,44 / 15,50	35,2 / 77,60



Piso: San Miguel Marfil 60x60cm



Muro: Edimburgo Taupé 28.3x7.2cm / Barra: Malla decorativa Arcosia Oxford
Piso: Lubeck Castaña 15x90cm

EDIMBURGO

Muro Mate y Brillante / Matt & Glossy Wall Tile
Estructurado / Structured

28.3 X 7.2 CM 11,1" X 2,8"

Marfil Mate / Matt Ivory



Marfil Brillante / Glossy Ivory



Taupé Mate / Matt Taupe



Taupé Brillante / Glossy Taupe



Café Mate / Matt Brown



Café Brillante / Glossy Brown



Oxford Mate / Matt Oxford



Oxford Brillante / Glossy Oxford



Zoom



Información Técnica / Technical Info



Información de Embalaje / Bale Info


formato / size	pcs-caja / pcs-box	m ² -caja / ft ² -box	kg-caja / lbs-box
28.3x7.2 cm 11.1" x 2.8"	24	0.49/5.2	10.4/23

ARCOSIA

Piedra Mate / Matt Stone

Malla Decorativa / Decorative Mesh

31 X 29.5 CM 12,2" X 11,6"



Zoom



Información Técnica / Technical Info	 PISO Y MURO	 PORCELÁNICO				
	FLOOR AND WALL	PORCELAIN	 TTM / A	 INTERIORES	 BAÑOS	 COCINA
Información de Embalaje / Bale Info						
	 EXTERIORES	formato / size	pcs-caja / pcs-box	m²-caja / ft²-box	kg-caja / lbs.-box	
		31 x 29.5 cm 12.2" x 11.6"	9	0.82 / 8.8	11.9 / 26.2	





Información Técnica

T e c h n i c a l I n f o r m a t i o n

Porcelánico / Porcelain

	Absorción de agua / Water absortion	≤ 0.5 %	A.S.T.M. C373
	Resistencia Mecánica / Mechanical Strenght	≥ 350 kgf/cm2	ISO 10545-4
	Dureza al rayado / Resistance to scratching	5 - 8 MOHS	A.S.T.M. C1028
	Coeficiente Estático de fricción en húmedo / HCFS	≥ 0.6 %	A.S.T.M. C1028
	Resistencia al shock térmico / Resistance to thermal shock	Conforme / In compliance with	A.S.T.M. C484
	Resistencia a helada / Resistance to frost	Conforme / In compliance with	A.S.T.M. C1026
	Resistencia a las manchas / Resistance to staining	Conforme / In compliance with	A.S.T.M. C1378
	Resistencia a los ácidos / Resistance to acids and alkalis	Conforme / In compliance with	A.S.T.M. C650
	Resistencia a la abrasión / Resistance to abrasion	Conforme / In compliance with	ANSI A137

Super gres / Super gres

	Absorción de agua / Water absortion	≤ 3 %	A.S.T.M. C373
	Resistencia Mecánica / Mechanical Strenght	≥ 250 kgf/cm2	ISO 10545-4
	Dureza al rayado / Resistance to scratching	5 - 8 MOHS	A.S.T.M. C1028
	Coeficiente Estático de fricción en húmedo / HCFS	≥ 0.6 %	A.S.T.M. C1028
	Resistencia al shock térmico / Resistance to thermal shock	Conforme / In compliance with	A.S.T.M. C484
	Resistencia a helada / Resistance to frost	Conforme / In compliance with	A.S.T.M. C1026
	Resistencia a las manchas / Resistance to staining	Conforme / In compliance with	A.S.T.M. C1378
	Resistencia a los ácidos / Resistance to acids and alkalis	Conforme / In compliance with	A.S.T.M. C650
	Resistencia a la abrasión / Resistance to abrasion	Conforme / In compliance with	ANSI A137

Azulejo / Wall Tile

	Absorción de agua / Water absortion	15 - 20 %	A.S.T.M. C373
	Resistencia Mecánica / Mechanical Strenght	≥ 120 kgf/cm2	ISO 10545-4
	Dureza al rayado / Resistance to Scratching	3 - 6 MOHS	A.S.T.M. C1028
	Resistencia al shock térmico / Resistance to thermal shock	Conforme / In compliance with	A.S.T.M. C484
	Resistencia al cráquel / Resistance to crazing	Conforme / In compliance with	A.S.T.M. C1026
	Resistencia a las manchas / Resistance to staining	Conforme / In compliance with	A.S.T.M. C1378
	Resistencia a los ácidos / Resistance to acid and alkalis	Conforme / In compliance with	A.S.T.M. C650

Información de Embalaje

B a l e I n f o r m a t i o n

Porcelánico / Porcelain

formato / size	pzs-caja / pcs-box	m²-caja / ft²-box	kg-caja / lbs -box
60 x 60 cm 23.6" x 23.6"	4	1.44 / 15,50	35.2 / 77,60
15 x 90 cm 5.9" x 35.4"	11	1.48 / 15,93	36.52 / 80,51
20 x 120 cm 7.87" x 47.2"	7	1.68 / 18,08	41.65 / 91,82

Super gres / Super gres

formato / size	pzs-caja / pcs-box	m²-caja / ft²-box	kg-caja / lbs -box
60 x 120 cm 23.5" x 47.2	2	1.44 / 15,5	33.5 / 73,8
45 x 90 cm 17.7" x 35.4"	4	1.63 / 17,54	37.9 / 83,55

Malla Decorativa / Decorative Mesh

formato / size	pzs-caja / pcs-box	m²-caja / ft²-box	kg-caja / lbs -box
31 x 29.5 cm 12.2" x 11.6	9	0.82 / 8,8	11.9 / 26,2

Muro / Wall Tile

formato / size	pzs-caja / pcs-box	m²-caja / ft²-box	kg-caja / lbs -box
28.3 x 7.2 cm 11.1" x 2.8"	24	0.49 / 5,2	10.4 / 23

P. E. I. Resistencia a la abrasión

W e a r R e s i s t e n c e

Para el uso correcto de un pavimento cerámico, hay que conocer la resistencia al desgaste del mismo, la cual está influenciada no sólo por sus características sino también por el lugar en que se instala. La presencia de materiales abrasivos, así como lugares con acceso directo desde el exterior, son factores que acortan la duración de un piso.

In order to make a correct instalation of ceramic floor tile, it is necessary to determine its resistance to abrasion (wear), which is influenced not only by the tile's specific characteristics but also by the surface on which it is installed. The presence of abrasive materials in areas of heavy traffic with direct access from outside areas is an important factor in determining a floor tile pavement's expected life span.

Los productos Cesantoni© se clasifican en cinco grupos que se detallan a continuación, de acuerdo a la resistencia de abrasión (desgaste) con que cuentan:

Cesantoni© products are classified in 5 distinct groups which are detailed according to their wear resistance in the accompanying chart:

	I Pavimentos sometidos a tráfico ligero. Pavements subjected to light traffic.		IV Pavimentos sometidos a tráfico medio-alto, con una mayor resistencia a la abrasión. Pavements subjected to medium-heavy traffic with greater wear resistance.
	II Pavimentos adaptados para tráfico medio-ligero. Pavements adapted to medium-light traffic.		V Pavimentos adaptados a tráfico intenso. Pavements adapted to heavy traffic.
	III Pavimentos sometidos a tráfico medio. Pavements subjected to medium traffic.		

TTM Tono y Textura Mezclados

T o n e & T e x t u r e C o m b i n e d

En la fabricación de sus productos, Cesantoni© emplea tecnología avanzada que imita el aspecto de piedras y materiales de la naturaleza, logrando una variedad en apariencias y acabados propios de estos materiales; por tanto el contenido de cada caja presenta variaciones de tono y textura. Las líneas de productos están determinadas en cuatro grupos, que se describen a continuación:

In the manufacturing of its products, Cesantoni© employs advanced technology which allows the imitation of natural materials. Consequently, our product lines are classified in 4 distinct groups according to the hue and texture variation of individual pieces in the same box, as described below:

	TTM / A Tono y Textura Mezclado MENOR. MINOR texture and hue mixture.		TTM / C Tono y Textura Mezclado MAYOR. GREATER texture and hue mixture.
	TTM / B Tono y Textura Mezclado MEDIO. MEDIUM texture and hue mixture.		TTM / D Tono y Textura Mezclado DIVERSO. DIVERSE texture and hue mixture.

Advertencias:

- *El piso y azulejo cerámico se elabora mediante cocci3n de materias primas naturales a muy altas temperaturas, las cuales producen pequeñas diferencias de tonalidades y dimensiones entre piezas.
- *La garantía sólo cubre productos Primera Calidad, no admitiéndose reclamaciones sobre material ya instalado.
- *Los tonos y colores de las fotografías son aproximados a los colores reales, debido a las variaciones aceptadas en la impresi3n de este cat3logo.
- *El uso de 3cido en pisos y azulejos daña irreversiblemente el vidriado del esmalte.

Cautionary Notes:

- *Ceramic wall and floor tiles are manufactured through the firing of raw materials at very high temperatures. Due to slight variations in the properties of these materials and in the manufacturing process, minor differences in hue and size maybe observed among individual pieces.
- *Warranty only covers top grade products. Claims on already installed materials are not allowed.
- *Printed colors and hues in this catalog approach actual ones. Slight differences maybe observed due to accepted variations in the printing process.
- *The use of acid and tile floors irreversibly damaging the enamel glaze.

Cesantoni, S.A. de C.V. se reserva el derecho de modificar y/o suprimir los modelos expuestos en este cat3logo.

Cesantoni, S.A. de C.V. reserves the right to modify and/or suppress the models exposed in this catalogue.

Los colores de las piezas pueden mostrar ligeras diferencias respecto a las originales.
The colors of the pieces can show slight differences with respect to the original ones.

design

portfolio



Carretera Panamericana Km. 24,6. Apartado Postal 59,
C.P. 98500, Zona Industrial, Calera, Zacatecas, México.
Tel: + 52 (478) 985 4200 y 01 800 7010 111 Fax (478) 985 0396

Oficinas Ciudad de México
Tel: + (52) 55 5643 4615 Fax (55) 56 43 3366

contacto@cesantoni.com.mx
www.cesantoni.com.mx

Cesantonimx

